

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

INFUSION JOURNAL

**Your tool to help prepare for
each infusion, note your questions,
and track important details**

ISEMBYLD is a prescription medicine used to treat spinal muscular atrophy (SMA) in adults and children 2 years of age and older who are currently receiving a survival motor neuron 2 (SMN2)-targeted treatment.

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Please see additional Important Safety Information throughout and full Prescribing Information and Patient Information.

**As you start your treatment with ISEMBYLD,
this journal is designed to help you organize
YOUR THOUGHTS
AND YOUR CALENDAR.**

You can choose to use this journal by yourself or share it with your caregiver(s). You can refer to it during appointments with your care team or keep it private.

Prefer to use a printed journal?

Reach out to your Rx Onboarding and Care Coordinator (ROCC) for a copy.

**Now that ISEMBYLD is a part
of your treatment plan**

Your ROCC is available to answer questions and help with infusion logistics. Use this space to note your ROCC's contact information so it's always easy to find when you need it.

YOUR ROCC'S INFORMATION

NAME: _____

PHONE: _____

EMAIL: _____

And remember

You can always reach out to Scholar Rock Supports™ at **1-833-777-5444**

Monday – Friday, 8 AM – 8 PM ET and find other resources at [ScholarRockSupports.com](https://www.scholarrocksupports.com)

IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

Please see additional Important Safety Information throughout and full Prescribing Information and Patient Information.

You and your caregiver(s) can count on your Rx Onboarding and Care Coordinator (ROCC) to help answer common questions, such as:

What are the most common side effects?

.....

What should I expect on infusion day?

.....

What locations are available for me to complete my ISEMBYLD treatment (home, infusion center, hospital)? And what determines that?

.....

What happens if I miss an infusion?

.....

What if I need to switch my infusion location?

.....

Can I go back to my normal routine the same day?

.....

**You can also check out the
INFUSION DAY BROCHURE
[in the Welcome Kit],
or visit **ISEMBYLD.com**
for more information.**



Mindy
Treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

Plan your infusions

Note the time, date, and location of your infusion appointments (home, hospital, or infusion center).

Infusion 1

Infusion 5

Infusion 2

Infusion 6

Infusion 3

Infusion 7

Infusion 4

Infusion 8

IMPORTANT SAFETY INFORMATION

The most common side effects of ISEMBYLD include:

- upper respiratory tract infections
- cough
- stomach flu (gastroenteritis)
- vomiting
- viral infections
- sore throat (pharyngitis)
- headache
- hypersensitivity

These are not all of the possible side effects of ISEMBYLD. Call your healthcare provider for medical advice about side effects.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).



It is always important to try your best in any challenge you face, no matter what, and always ask for help when needed.”

- Ryan

Treated with ISEMBYLD.

Paid spokesperson.

Infusion 9

Infusion 12

Infusion 10

Infusion 13

Infusion 11

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Please see additional Important Safety Information throughout and full Prescribing Information and Patient Information.

INFUSION 1

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

As you prepare to start ISEMBYLD treatment, your care team has the best people to answer your questions. Your Rx Onboarding and Care Coordinator (ROCC) is also here for you and your family.

Whether you're traveling to a hospital or infusion center, or a nurse is coming to your home, each infusion day can come with a lot of things to keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Any other considerations? Note them here:

Preparing for your 1st infusion could bring up a variety of feelings. Take a few minutes to write, type, or dictate where you are right now, no judgments or second-guessing. Feel free to share your answers with your ROCC or your care team—or keep them to yourself.

As you start treatment with ISEMBYLD, it's worth thinking about what inspires you. Write, type, or dictate your treatment goals here.



Not sure where to start?

Talking with your ROCC is a great way to get organized and focus on what matters most to you.

”

This condition doesn't make you weak; it makes you more resilient and creative.”

- Mindy

Treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 1

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at

ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

Your 1st infusion is complete! Did you learn anything you want to keep in mind for next time?

This could be anything, like a reminder to pack a snack, an affirmation you're going to repeat, or anything else that feels right to you.

Feeling proud? Excited? A combination of emotions? Write, type, or dictate how you're feeling after your 1st infusion here.

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 2

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

Your 2nd ISEMBYLD infusion is coming up. When you have questions or need support, your care team has your back. Your Rx Onboarding and Care Coordinator (ROCC) is also here for you and your family.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

☐ Appointment time	Items you may want to bring along
☐ Appointment address	☐ _____
☐ Transportation plans	☐ _____

Have you observed changes or anything new since your last infusion? Note them here:



Need help getting organized?

Your ROCC can help you prioritize needs and get answers to your questions.



Lily
Treated with ISEMBYLD.
Paid spokesperson.

”

We've met the most amazing people through this journey, and it's given us the strength we didn't know we had.”

- **Tracy**, whose daughter Lily is treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

The most common side effects of ISEMBYLD include:

- | | | |
|--------------------------------------|--------------------|---------------------------------|
| • upper respiratory tract infections | • cough | • stomach flu (gastroenteritis) |
| • vomiting | • viral infections | • sore throat (pharyngitis) |
| | • headache | • hypersensitivity |

These are not all of the possible side effects of ISEMBYLD. Call your healthcare provider for medical advice about side effects.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 2

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at
ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

How did your 2nd infusion go? Did you learn anything from this infusion day that you want to keep in mind for next time?

Take a few minutes to write, type, or dictate impressions, thoughts, or goals here.

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Please see additional Important Safety Information throughout and full Prescribing Information and Patient Information.

INFUSION 3

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

Your 3rd infusion is nearly here. Your care team is your best source for answers to questions, but your Rx Onboarding and Care Coordinator (ROCC) is also here for you and your family.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

☐ Appointment time	Items you may want to bring along
☐ Appointment address	☐ _____
☐ Transportation plans	☐ _____

Have you observed changes or anything new since your last infusion? Note them here:



Need help organizing the details?

Your ROCC can help you prioritize needs and get answers to your questions.



River

Treated with ISEMBYLD.
Paid spokesperson.

”

What matters most is that River can live more fully.”

- **Dee**, whose son River is treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 3

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at
ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

**Your 3rd infusion has come and gone—how are you feeling about it?
How did this experience compare to your first 2? Did you learn anything
that you want to keep in mind for next time?**

Take a few minutes to write, type, or dictate impressions, thoughts, or goals here.

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 4

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

It's almost time for another infusion day. Your care team has the best people to go to with questions. Your Rx Onboarding and Care Coordinator (ROCC) is also here for you and your family with lots of resources to share.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Have you observed changes or anything new since your last infusion? Note them here:



Need help getting organized?

Your ROCC can help you prioritize needs and get answers to your questions.

”

It's an exciting time to be an adult with spinal muscular atrophy (SMA) with all the different pharmacological treatments that are available. There's so many more of us who are not letting SMA be the headline of our story.”

- Carolyn

Treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

The most common side effects of ISEMBYLD include:

- | | | |
|--------------------------------------|--------------------|---------------------------------|
| • upper respiratory tract infections | • cough | • stomach flu (gastroenteritis) |
| • vomiting | • viral infections | • sore throat (pharyngitis) |
| | • headache | • hypersensitivity |

These are not all of the possible side effects of ISEMBYLD. Call your healthcare provider for medical advice about side effects.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 4

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at
ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

**You've now had 4 ISEMBYLD infusions—how does that make you feel?
Did you learn anything from this infusion day that you want to keep in mind for next time?**

Take a few minutes to write, type, or dictate impressions, thoughts, or goals here.

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Please see additional Important Safety Information throughout and full Prescribing Information and Patient Information.

INFUSION 5

BEFORE THE INFUSION:

You're about to hit 5 infusions with ISEMBYLD! As questions arise, your care team is your best source for answers. You can also rely on your Rx Onboarding and Care Coordinator (ROCC) for resources and a willing ear.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Have you observed changes or anything new since your last infusion? Note them here:

Are you seeing your physical therapist or visiting the clinic this month or next? Use this space to list important details and anything you want to make sure to tell them.



Need help getting organized?

Your ROCC can help you prioritize needs and get answers to your questions.

”

We are all worthy of the same things as anyone else, so go after what you want! Your journey may be different than someone else's who is reaching for the same goal, but if you decide you can, you will.”

- Mindy
Treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 5

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at

ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

How was your 5th infusion? Did you learn anything from this infusion day that you want to keep in mind for next time?

Take a few minutes to write, dictate, or type impressions, thoughts, or goals here.

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 6

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

**You're about to have your 6th ISEMBYLD infusion.
That's a major milestone!**

You've been treating with ISEMBYLD for a significant amount of time now. Take a few minutes to write, type, or dictate what you are feeling, no judgments or second-guessing.

If you have specific questions, your care team is the right source for answers. Your Rx Onboarding and Care Coordinator (ROCC) is also here for you as you and your family sort through every step of the process.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Any changes to note since your last infusion?

Let's revisit your treatment goals. What's changed or stayed the same?



Progress looks different for every child. For Adrian, every gain has been personally monumental."

- **Cassie**, whose son Adrian is treated with ISEMBYLD. Paid spokesperson.
Individual patient experience. Results may vary.



Need help organizing the details?

Your ROCC can help you prioritize needs and get answers to your questions.

IMPORTANT SAFETY INFORMATION

The most common side effects of ISEMBYLD include:

- | | | |
|--------------------------------------|--------------------|---------------------------------|
| • upper respiratory tract infections | • cough | • stomach flu (gastroenteritis) |
| • vomiting | • viral infections | • sore throat (pharyngitis) |
| | • headache | • hypersensitivity |

These are not all of the possible side effects of ISEMBYLD. Call your healthcare provider for medical advice about side effects.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 6

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at
ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

Completing 6 infusions is quite a feat! You might be experiencing a mix of emotions from pride to relief to excitement to something else we haven't considered yet.

You've come a long way, so take the time to write, type, or dictate your thoughts about this accomplishment here.

After this many infusions, you may be getting into a real routine. If you want to note new impressions or goals here, go for it. You can also use this space to list out changes you've noticed.

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Please see additional Important Safety Information throughout and full Prescribing Information and Patient Information.

INFUSION 7

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

If you have questions or concerns, your care team is your best source for answers. Want more educational resources or services? Contact your Rx Onboarding and Care Coordinator (ROCC).

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Have you observed changes or anything new since your last infusion? Note them here:



Need help organizing the details?

Your ROCC can help you prioritize needs and get answers to your questions.

”

What matters to me is how I feel every day and what I can accomplish in my life.”

- Mindy

Treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 7

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at

ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

After 7 infusions, you know a lot more than when you first started.

You can note anything new here—from mindset insights to changes you've noticed and everything in between.

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 8

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

Almost ready for your 8th ISEMBYLD infusion? As questions come up, your care team is your best source for answers. You can also rely on your Rx Onboarding and Care Coordinator (ROCC) for support.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Have you observed changes or anything new since your last infusion? Note them here:



Need help getting organized?

Your ROCC can help you prioritize needs and get answers to your questions.

”

River and I don't use the word 'can't' because we can always try.”

- **Dee**, whose son River is treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

The most common side effects of ISEMBYLD include:

- | | | |
|--------------------------------------|--------------------|---------------------------------|
| • upper respiratory tract infections | • cough | • stomach flu (gastroenteritis) |
| • vomiting | • viral infections | • sore throat (pharyngitis) |
| | • headache | • hypersensitivity |

These are not all of the possible side effects of ISEMBYLD. Call your healthcare provider for medical advice about side effects.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at

ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

By now, you've likely got your ISEMBYLD routine down pat!

If you still have new impressions or goals to note, this is the spot. You can also reflect on any changes you've noticed.

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Please see additional Important Safety Information throughout and full Prescribing Information and Patient Information.

INFUSION 9

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

You're 9 infusions in, and that's a big deal! It's normal to have questions as you go, and your care team is your best source for answers. Your Rx Onboarding and Care Coordinator (ROCC) is also a trusted resource.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Have you observed changes or anything new since your last infusion? Note them here:



Need help getting organized?

Your ROCC can help you prioritize needs and get answers to your questions.



Christopher

Treated with ISEMBYLD.
Paid spokesperson.

”

SMA has created challenges for Christopher, but it has also taught him to never give up, and this has spilled into other parts of his life. If he's learning a new song in piano or a new topic in math, he works on it until he gets it.”

- **Ashley**, whose son Christopher is treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 9

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at
ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

While you may be in a comfortable routine with your infusions now, you can still note any new impressions or goals here if you like.

Have you noticed any changes? Write, type, or dictate them here.

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 10

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

As you prep for your 10th ISEMBYLD infusion, your care team is the right place to go with questions or concerns. You can also rely on your Rx Onboarding and Care Coordinator (ROCC) to be there for you and your family.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:


- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Have you observed changes or anything new since your last infusion? Note them here:



Need help getting organized?

Your ROCC can help you prioritize needs and get answers to your questions.



Ryan

Treated with ISEMBYLD.
Paid spokesperson.

”

Living with SMA takes more than just grit and perseverance; it takes a lot of patience, knowing that other people may be stronger than you. But at the end of the day, the only important thing is asking how I can become a better person than I was yesterday.”

- Ryan

Treated with ISEMBYLD. Paid spokesperson.

IMPORTANT SAFETY INFORMATION

The most common side effects of ISEMBYLD include:

- | | | |
|--------------------------------------|--------------------|---------------------------------|
| • upper respiratory tract infections | • cough | • stomach flu (gastroenteritis) |
| • vomiting | • viral infections | • sore throat (pharyngitis) |
| | • headache | • hypersensitivity |

These are not all of the possible side effects of ISEMBYLD. Call your healthcare provider for medical advice about side effects.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at
ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

Did this month's infusion fit your established routine?

If anything felt different or significant, you can note it here—such as changes you've noticed, new insights, or anything else you've observed.

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 11

BEFORE THE INFUSION:

As you know, your care team is the best resource for questions or concerns, but your Rx Onboarding and Care Coordinator (ROCC) is also a resource for you and your family on infusion days and every day in between.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Have you observed changes or anything new since your last infusion? Note them here:



Need help getting organized?

Your ROCC can help you prioritize needs and get answers to your questions.



The biggest piece of advice I always give is to not give up hope. There is no single path with spinal muscular atrophy (SMA) and even though yours might look different from someone else's, it doesn't mean there won't be gains and achievements."

- **Ashley**, whose son Christopher is treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 11

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at

ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

Check in with how you're feeling about your infusion routine.

If you'd like to note any new impressions or goals here, go for it. You can also list any changes you've noticed.

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 12

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

Infusion 12 is almost here! Your care team is the best resource for questions or concerns as they come up, but know that your Rx Onboarding and Care Coordinator (ROCC) is here for you and your family, too.

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

- | | |
|---|-----------------------------------|
| ☐ Appointment time | Items you may want to bring along |
| ☐ Appointment address | ☐ _____ |
| ☐ Transportation plans | ☐ _____ |

Are you seeing your physical therapist or visiting the clinic this month or next? Use this space to list important details and anything you want to make sure to tell them.

Have other questions come up about treatment with ISEMBYLD™ since your last infusion? Note them here so you can ask your ROCC or your doctor.



Need help getting organized?

Your ROCC can help you prioritize needs and get answers to your questions.

IMPORTANT SAFETY INFORMATION

The most common side effects of ISEMBYLD include:

- | | | |
|--------------------------------------|--------------------|---------------------------------|
| • upper respiratory tract infections | • cough | • stomach flu (gastroenteritis) |
| • vomiting | • viral infections | • sore throat (pharyngitis) |
| | • headache | • hypersensitivity |

These are not all of the possible side effects of ISEMBYLD. Call your healthcare provider for medical advice about side effects.

Please see additional Important Safety Information throughout and full Prescribing Information and Patient Information.



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at

ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

How's your infusion routine going?

If you'd like to note any new impressions or goals here, go for it. You can also list any changes you've noticed.

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

INFUSION 13

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

BEFORE THE INFUSION:

Congratulations! You're prepping for your 13th ISEMBYLD infusion—that's a big milestone. As you prepare for this infusion, it's a great time to take a look and think about what the future may hold.

You've got nearly a whole year of experience with ISEMBYLD now. If you met someone just beginning treatment, what would you tell them? Do you have any advice you'd want to share?

Each infusion day comes with a lot of details to remember and keep straight. Use this space to write, type, or dictate important details you want to remember.

Tick the boxes to remind you to double-check your:

☐ Appointment time	Items you may want to bring along
☐ Appointment address	☐
☐ Transportation plans	☐

Any changes to note since your last infusion?

Look back to your goals from the 1st infusion. Have they evolved? What are your goals as you start a 2nd year of treatment with ISEMBYLD?



Need help organizing the details?

Your Rx Onboarding and Care Coordinator (ROCC) can help you prioritize needs and get answers to your questions.

”

People living with spinal muscular atrophy (SMA) are so much more than a rare disease—there's so much more we are capable of.”

- Alyssa

Treated with ISEMBYLD.
Paid spokesperson.

IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).



Have other questions come up about treatment with ISEMBYLD?

Note them here so you can ask your doctor or your ROCC.

Find more information at
ISEMBYLD.com

FOR MY DOCTOR:

FOR MY ROCC:

After every infusion appointment, you'll hear from your ROCC so they can check in with you, help with scheduling your next infusion, and be there for anything else that comes up.

AFTER THE INFUSION:

You've got about a year of experience with ISEMBYLD now. That could make you feel like you want to celebrate, and you definitely should! It could also bring up a variety of thoughts and feelings.

Take some time to write, type, or dictate what you're thinking here, with no judgments or self-censorship.

What goals or mindset tips would you like to hold onto as you continue treatment with ISEMBYLD?

IMPORTANT SAFETY INFORMATION

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

Please see additional [Important Safety Information](#) throughout and full [Prescribing Information](#) and [Patient Information](#).

If you'd like to continue journaling about your experience, contact your Rx Onboarding and Care Coordinator (ROCC) to receive another journal, or feel free to keep using the prompts on the empty pages that follow.

YOU'VE GOT THIS!

You can also check out other available resources at ScholarRockSupports.com

1-833-777-5444 Monday – Friday, 8 AM – 8 PM ET



Use this space for additional notes:

Use this space for additional notes:

Indication & Important Safety Information

ISEMBYLD™
(apitegromab-mstn) injection
150mg/3mL

What is ISEMBYLD (apitegromab-mstn)?

ISEMBYLD is a prescription medicine used to treat spinal muscular atrophy (SMA) in adults and children 2 years of age and older who are currently receiving a survival motor neuron 2 (SMN2)-targeted treatment.

IMPORTANT SAFETY INFORMATION

Before taking ISEMBYLD, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of low bone density or bone fractures
- are pregnant or plan to become pregnant. If you are pregnant or are planning to become pregnant, ask your healthcare provider for advice before taking this medicine. It is not known if ISEMBYLD will harm your unborn baby. Tell your healthcare provider right away if you become pregnant during treatment with ISEMBYLD
- are breastfeeding or plan to breastfeed. It is not known if ISEMBYLD passes into breast milk. Talk to your healthcare provider about the best way to feed your baby while on treatment with ISEMBYLD

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Keep a list of them to show your healthcare provider, including your pharmacist, when you get a new medicine.

What are the possible side effects of ISEMBYLD?

- **Fractures.** Treatment with ISEMBYLD may increase the risk of bone fractures, including serious fractures. Bone fractures may happen with or without a fall or other injury. Your healthcare provider may consider stopping treatment with ISEMBYLD if you experience a bone fracture during treatment

The most common side effects of ISEMBYLD include:

- | | |
|--------------------------------------|---------------------------------|
| • upper respiratory tract infections | • headache |
| • vomiting | • stomach flu (gastroenteritis) |
| • cough | • sore throat (pharyngitis) |
| • viral infections | • hypersensitivity |

These are not all of the possible side effects of ISEMBYLD. Call your healthcare provider for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA.

Visit <http://www.fda.gov/medwatch> or call 1-800-FDA-1088.

Please see full [Prescribing Information](#) and [Patient Information](#).

KEEP GOING!

**Contact your Rx Onboarding
and Care Coordinator
(ROCC) to receive another
journal, or check out other
available resources at
ScholarRockSupports.com**